ime-to-event **Statistical Methodology**

Group sequential designs for recurrent events: new challenges and proposals

Tobias Mütze

and Consulting

3rd EFSPI Workshop on Regulatory Statistics 24-25th September 2018 Basel



Outline

- 1. Introduction group sequential designs
- 2. Comparison of group sequential designs for time-toevent and recurrent events
- 3. Group sequential designs for the negative binomial model
- 4. Group sequential designs for the LWYY model



Group sequential designs

- Accumulating data are analyzed repeatedly during the clinical trial
 - At each data look can be stopped for efficacy or futility







Illustration of group sequential designs


- Hypothesis testing problem $H_0: \beta \ge 0 \ vs. H_1: \beta < 0$
- Test statistic Z_k at data look k = 1, ..., 5





Sequential designs for time-toevent vs. recurrent event


 Time-to-event outcomes: each patient contributes a new event to a single data look






Sequential designs for time-toevent vs. recurrent event

 Time-to-event outcomes: each patient contributes a new event to a single data look



 Recurrent events: each patient can contribute a new event to more than one data look



- Challenges in group sequential designs with recurrent events
 - In comparison to time-to-event endpoints, the correlation of test statistics from different data looks can be higher in the case of recurrent events
 - Event-driven trials could be driven by few subjects with large number of events



Notation and terminology for standard group sequential designs

- Parameter of interest β , e.g., log hazard ratio (time-to-event model) or log rate ratio (recurrent event model)
- Z-statistic at data look k = 1, ..., K

$$Z_k = \frac{\hat{\beta}_k}{SE(\hat{\beta}_k)}$$

- Information level at data look k: $\mathbf{J}_k = \frac{1}{SE(\widehat{\beta}_k)^2} = \frac{1}{Var(\widehat{\beta}_k)}$
- Information fraction at look k: $w_k = \mathcal{I}_k/\mathcal{I}_{Max}$
 - Maximum information \mathcal{I}_{Max}
- Information fraction is commonly used to determine the calendar time of a data look



Standard group sequential theory is based on canonical joint distribution

- Canonical joint distribution is assumed when calculation of stopping boundaries, sample size, and maximum information
- Canonical joint distribution
 - $-(Z_1,...,Z_k)$ follows a multivariate normal distribution

$$-E[Z_k] = \beta \sqrt{\mathcal{I}_k}$$

$$-Var[Z_k] = 1$$

$$- Cov[Z_{k_1}, Z_{k_2}] = \sqrt{J_{k_1}/J_{k_2}}, \quad k_1 \le k_2$$



Group sequential designs for timeto-event outcomes

 Canonical joint distribution holds for common time-toevent models and tests such as the Cox model and the log-rank test

- Information for time-to-event endpoint (Log-rank test)
 - $-d_k$: number of accumulated events at data look k
 - Information (Schoenfeld, 1981): $\mathcal{J}_k \approx \frac{d_k}{4}$
 - Information fraction: $w_k = \frac{d_k}{d_{Max}}$



Group sequential designs for negative binomial outcomes: Canonical joint distribution

 Focus on two-arm study with maximum likelihood based analysis

 Canonical joint distribution holds asymptotically for the negative binomial model (Mütze et al., 2018a)

Standard group sequential software (e.g., EAST, R package gsDesign, SAS proc segdesign) can be used to calculate stopping boundaries



Group sequential designs for negative binomial outcomes: Information

Information at data look k:

$$\mathbf{J}_{k} = \frac{1}{\frac{1}{I_{1k}} + \frac{1}{I_{2k}}}$$

with Fisher information
$$I_{ik} = \sum_{j=1}^{n_i} \frac{t_{ijk}\mu_i}{1+\phi t_{ijk}\mu_i}$$

- Information and information fraction at a data look depend on individual follow-up times t_{ijk} , sample size n_i , rates μ_i , and the overdispersion parameter ϕ
- The number of events is not the same as the information for designs with negative binomial oucomes



Planning of group sequential designs with negative binomial outcomes

- Goal: Calculate maximum information and sample size
 - Not implemented in EAST, R package gsDesign, SAS proc seqdesign
- R package gscounts, available on CRAN, implements planning of trials with negative binomial outcomes
- Example
 - One-sided significance level $\alpha = 2.5\%$
 - Power $1 \beta = 80\%$
 - Maximum number of looks K=3
 - Information fraction of look $w_1 = \frac{1}{3}$, $w_2 = \frac{2}{3}$, $w_3 = 1$



From maximum information to sample size using *gscounts*

- Determining the sample requires assumption on
 - the rates,
 - the overdispersion parameter,
 - trial duration,
 - and minimum follow-up

```
design gsnb(rate1=0.0875, rate2=0.125, dispersion=5,
            ratio H0=1, power=0.8, sig level=0.025,
            timing=c(1/3, 2/3, 1), esf=obrien,
            study period=4, accrual period=1.25,
            random ratio=1)
```



From maximum information to sample size using *gscounts* (cont'd)

```
Group sequential trial with negative binomial outcomes
Distribution parameters
Rate group 1: 0.0875
Rate group 2: 0.125
Dispersion parameter: 5
Hypothesis testing
Rate ratio under null hypothesis: 1
Rate ratio under alternative: 0.7
Significance level: 0.025
Power group sequential design: 0.8
Maximum information: 62.47
Number of looks: 3
Information times of looks: 0.3333. 0.6667. 1.0000
                                                Critical values and spending at each data look
Calendar times of looks: 1.195, 2.082, 4.000
Sample size and study duration
                                                                            +----- Efficacy -----+
Sample size group 1: 987
                                                           Information time
                                                    Look
                                                                                Spendina
                                                                                            Boundary
Sample size group 2: 987
                                                                       0.33
                                                                              0.00010351
                                                                                             -3.7103
                                                                       0.67
                                                                              0.0059449
                                                                                             -2.5114
 Accidal period. 1.25
 Study duration: 4
                                                                                             -1.9930
                                                                                0.018952
                                                Probabilities of stopping for efficacy, i.e. for rejecting HO
                                                 Rate ratio
                                                                              Look 2
                                                                  Look 1
                                                                                        Look 3
                                                        1.0 0.0001035057 0.005944886 0.01895161 0.0250000
                                                        0.7 0.0186487878 0.398800420 0.38255093 0.8000001
                                                Expected information level
                                                 Rate ratio
                                                                E[I]
                                                        1.0 62.35806
                                                        0.7 53.40283
```



Group sequential designs for the LWYY model

- Canonical joint distribution does not hold (asymptotically) in the LWYY model (Mütze et al, 2018b) for overdispersed recurrent events
- If standard group sequential stopping boundaries are applied, no asymptotic type I error rate control guaranteed
 - Group sequential test becomes asymptotically conservative
- Studied performance of standard stopping boundaries for LWYY model in simulation study
 - No practically relevant deviation of type I error rate from target level



Practical aspects of group sequential designs for the LWYY model

- Stopping boundaries from standard software packages can be used in practice
- Maximum information can be planned using canonical joint distribution
- Calculating sample size from maximum information is possible but not trivial; has not yet been implemented in R package gscounts



Discussion

- In practice, standard group sequential boundaries can be used in designs with common recurrent event models
- Number of events is not the same as the information level in recurrent event trials
 - Actual information level should be used to monitor trials, see Friede et al. (2018, submitted) for blinded information monitoring procedure
- Information level and information fraction depend on individual follow-up times, sample size, rates, and the overdispersion parameter
- R package gscounts can be used for planning purposes of designs with negative binomial outcomes



Acknowledgement

- Ekkehard Glimm
- Heinz Schmidli
- Tim Friede
- Jiawei Wei
- Mouna Akacha



References

- Jennison, C., & Turnbull, B. W. (1999). Group sequential methods with applications to clinical trials. Chapman and Hall/CRC.
- Mütze, T., Glimm, E., Schmidli, H., & Friede, T. (2018a). Group sequential designs for negative binomial outcomes. Statistical Methods in Medical Research.
- Schoenfeld, D. (1981). The asymptotic properties of nonparametric tests for comparing survival distributions. *Biometrika*, 68(1), 316-319.
- Lin, D. Y., Wei, L. J., Yang, I., & Ying, Z. (2000). Semiparametric regression for the mean and rate functions of recurrent events. *Journal of the Royal* Statistical Society: Series B (Statistical Methodology), 62(4), 711-730.
- Mütze, T., Glimm, E., Schmidli, H., & Friede, T. (2018b). Group sequential designs with robust semiparametric recurrent event models. Statistical Methods in Medical Research.
- Wassmer, G. (2006). Planning and analyzing adaptive group sequential survival trials. *Biometrical Journal*, *48*(4), 714-729.
- Friede, T., Häring, D., Schmidli, H. (2018). Blinded continuous monitoring in clinical trials with recurrent event endpoints. (Resubmitted after revision).



Thank you

